# Campus Resource Conservation Program

Progress Report Since September 2002

## **Organization Structure**

- September 2002 Full-time energy conservation officer appointed
- Steering Committee formed for Campus Resource Conservation Committee (CRCC)
- October 2002, energy conservation hotline established
  - (303) 735-6202 and e-mail: energyconservationhotline@fm.colorado.edu
    - good source of suggestions on areas of water and energy waste
- February 2003, campus energy conservation web site implemented.
   Conservation news, updates, tips and energy and water usage.
   <a href="http://www.colorado.edu/conservation">http://www.colorado.edu/conservation</a>

### **Goals and Objectives**

Vice Chancellor Tabolt's goal for the campus is to reduce energy consumption by 5% per-square-foot. This is very significant given past decade of annual consumption increase by 5%. Benefits will be derived from dollars savings and the reduction of carbon emissions for the CU-Boulder campus.

## Why Micro Turbine

- Highly Efficient Energy Production, Combined Heat and Power (CHP)
- Lower Cost of Energy
- Smaller Foot Print
- Lowering Green House Gas (GHG) Emission
- Provide an opportunity for students to learn about distributed generation, micro turbine technology and Combined Heat and Power (CHP).

#### Source of Micro Turbine

- Micro Turbine has been donated by Governor's Office of Energy Management and Conservation.
- University of Colorado at Boulder has agreed to select and install this unit in an optimum application.
- CU will operate and provide operational data for a period of two years.
- Open access & educational opportunities for students.

## Micro Turbine Specification

- 30 Kilowatt (30kW) Capstone Micro turbine.
  - Micro Gen Heat Exchanger and Gas Compressor
- C30 Capstone Micro turbine

Fuel, Natural Gas	52-55 psig
-------------------	------------

- □ Power 30kW±1%
- Emissions (NO<sub>x</sub>) <9 PPM
- Exhaust Flow600 cfm
- Total Exhaust Energy 310,000 Btu/hr
- Weight 1052 lb
- □ Dimensions 74.8"x 28.1"x 52.9" (About the size of a large refrigerator)
- Sound 65dBa at 33ft
- System Efficiencies 70-80%
- Can serve as Primary, Emergency backup, Standby Power, add capacity or reduce grid consumption.

#### **How Does Micro Turbine Work**

- Like a jet engine, the micro turbine mixes fuel with air to create combustion. This combustion turns a magnet generator, compressor and turbine wheels on a single shaft with Air Bearing Design at high speed (90,000+ RPM) with no need for additional lubrications, oil, or coolants.
- The micro turbine exhaust travels through a heat exchanger that is used to produce useful heat.

## Micro Turbine Application

- CU Student Recreation Center Swimming Pools
- Micro turbine will power swimming pools pumps and heat pool water (combined heat and power, CHP).
- Business case indicates approximately \$16,000 savings annually for Recreation Center (cost of steam & electricity).

## **Implementation**

- Micro turbine was received at CU Boulder after complete update and test by factory.
- Mechanical and electrical contractors have been selected.
- Consulting engineer was added to the team to design controls & size of water flow through heat exchanger,
- Capstone application engineer are supporting our team by answering specific questions.
- Natural gas piping has been installed.
- Expecting to complete installation & commissioning this summer.





